

## Blackmagic PYXIS Monitor



---

Blackmagic PYXIS Monitor is a versatile 5" HDR touchscreen monitor with full camera control that can be mounted almost anywhere. It provides an additional monitoring and camera control option that can be mounted anywhere so it's perfect for use when rigging or other accessories block Blackmagic PYXIS' internal display. The bright 1500 nit high brightness screen makes monitoring easy, even in bright sunlight and includes a removable sunshade that also folds up to protect the monitor. Blackmagic PYXIS Monitor is easy to set up with a single USB-C cable connection for video, power and camera control.


---

**S\$405**

### Connections

#### USB-C with Locking Connector

Video, power, data and software updates.



## Features

### Display Size

5 inch.

### Display Resolution

Full 1920 x 1080.

### Display Type

LCD capacitive touchscreen.

### Display Brightness

1500 nits.

### Frame Rates

Up to 60fps.

### Tally

Rear facing LED tally light.

### Accelerometer

Automatically rotates image when monitor mounted upside down.

---

## Control

### On Screen Controls

Tap screen to control Monitor Overlays, Frame Rate, Shutter, Iris, Timecode, ISO, White Balance, Tint, Power, Record Start/Stop, Media, Audio, Focus Zoom, Digital Slate and camera menus.

### Button Controls

Includes F1, F2, F3 assignable function buttons to recall preset parameters or toggle functions.

### Function Button Presets

FPS: Preset Value  
Iris: Preset Value  
WB: Preset Value  
ISO: Preset Value  
Shutter: Preset Value

### Function Button Toggle

Clean Feed  
Status Text  
Display LUT  
Frame Guides  
Focus Assist  
False Color  
Zebra  
Grid  
Safe Area Guide  
Off Speed Rec  
Focus Zoom  
Focus  
Record  
Auto White Balance  
Color Bars  
Playback  
False Color + Zebra  
OIS  
Stream  
Still

---

## Mounting

### Mounting Points

1 x 1/4-20 bottom mounting point with ARRI locating pin pattern.  
2 x M4 bottom mounting points.  
1 x 1/4-20 side mounting point with ARRI locating pin pattern.  
2 x M4 side mounting points.


---

## Compatible Cameras

Blackmagic PYXIS 6K  
Blackmagic PYXIS 6K PL  
Blackmagic PYXIS 6K EF  
Blackmagic URSA Cine 12K LF  
Blackmagic URSA Cine 17K 65

---

## Operating Systems



Mac 13.0 Ventura,  
Mac 14.0 Sonoma or later.



Windows 10 and 11.

---

## Power Requirements

Powered over USB-C.

---

## Physical Specifications



---

## Environmental Specifications

### Operating Temperature

0°to 40°C (32° to 104°F)

### Storage Temperature

-20°to 60°C (-4° to 140°F)

### Relative Humidity

0% to 90% non-condensing

---

## What's Included

Blackmagic PYXIS Monitor  
Blackmagic PYXIS Clip On Sunshade  
Welcome wallet with QR code for software download  
Blackmagic Design Sticker

---

## Warranty

### Product Warranty

1 Year Limited Manufacturer's Warranty.

All items on this website are copyright Blackmagic Design Pty. Ltd. 2025, all rights reserved.  
All trademarks are property of their respective owners. MSRP excludes sales taxes/duties and shipping costs.  
This website uses remarketing services to advertise on third party websites to previous visitors to our site.  
You can opt out at any time by changing cookie settings. [Privacy Policy](#)

Blackmagic Design Authorized Reseller